

CFGtool Manual

CFGtool Manual

Table of Contents

Preface	viii
Target audience	viii
Conventions used in this manual	viii
1. Introduction	1
About	1
Main features	1
Minimum requirements	1
Hardware	1
Browser	1
2. Historical data	2
Groups	2
Add groups metadata	3
Devices	3
Exporting device configuration	6
Configuring Device Security Integrity	7
Import devices file	7
Add devices metadata	8
Reports	8
Templates	8
Configuration history	10
Policy Compliance	10
3. Provisioning	13
Scripts	13
Creating scripts	13
Executing the scripts	13
Tasks	13
4. Configuration	14
Rules	14
Creating rules	14
No Response filter	14
Scripts	14
Creating scripts	15
Executing scripts	17
Configuration Exporter Script	17
Login Script	18
Provisioning Script	19
Policy Compliance	20
Rule	20
Policy	21
Trap Filter	21
Device Credential	22
Add device credential metadata	22
5. Tools	24
External Software	24
Telcomanager Windows Collector	24
Telcomanager Host Agent	24
Telcomanager Windows Security Agent	24
Discovery	25
6. ALARMmanager	26
Reports	26
Suppressed reports	26

Consolidated reports	26
Email Template	27
Introduction	27
Customizing the email	27
Alarm urgency level	28
Changing the urgency level priority	28
Adding a new urgency level	28
Alarms	29
Alarm suppression management	30
Alarm profile	30
Console	31
Introduction	31
Console operation	31
7. System	34
Access Log	34
User access	34
Simultaneous access	34
Users	34
Editing users	34
User Groups	35
User profiles	36
Alarm Console	36
Backup/Restore	37
Local configuration backup	37
Local configuration restore	37
Remote backup	37
Remote restore	38
Restore status	38
Parameters	38
Active directory	38
ALARMmanager	39
Association agents	39
Auto login	39
Backup	39
Capture agent configuration	40
Cisco WAAS	40
Configuration history	40
Configuration Management	40
Data storage	41
dbn0/Altaia integration	42
Distributed architecture	42
EPM	43
Expiration warning	43
HTTPS Configuration	44
Interface customization	44
Local preferences	44
Login redirection	44
Log level	44
Logo	45
Provisioning	45
Redundancy	45
Regional settings	46
Reports	46
Security integrity	46

SMS server	46
SMTP	47
SNMP	48
System Version Check	49
TACACS	49
Theme	49
User access history	49
Web Services	49
Diagnostics	50
Network information	50
Connectivity tests	50
Packet Capture	50
Objects	51
Summarizer	51
Storage usage	51
Log files	51
Configuration Logs	52
Timezone	52
Support	52
Open request	52
Check for system updates	52
Remote support tunnel setup	52
About	52
8. License enabled features	53
Redundancy	53
Concepts	53
Enabling the redundancy	53
Distributed architecture	53
Concepts	53
Prerequisites	53
Deployment	54

List of Tables

1. Manual conventions	viii
2.1. New group form	2
2.2. Metadata fields	3
2.3. New device form	3
2.4. Fields from device file	7
2.5. Metadata fields	8
2.6. Template Form	9
2.7. Configuration history report form	10
2.8. Policy Compliance Report form	11
4.1. Automatic profile rules	14
4.2. Wildcard List	20
4.3. Policy Compliance Rule Form	20
4.4. Policy Compliance Form	21
4.5. Trap filter form	21
4.6. Device credential form	22
4.7. Metadata fields	23
5.1. TSA file configuration params	24
5.2. TSA file configuration params	25
6.1. Suppressed alarms report form	26
6.2. Consolidated alarm report form	26
6.3. Email template	27
6.4. Email variables	27
6.5. ALARM urgency level form	28
6.6. CFGtool alarm form	29
6.7. Alarm profile form	30
6.8. ALARMmanager console	31
7.1. User form	34
7.2. User form	35
7.3. User form	36
7.4. ALARMmanager console columns	36
7.5. Remote backup form	37
7.6. Active directory form	38
7.7. ALARMmanager parameters form	39
7.8. Capture agent configuration form	40
7.9. Cisco WAAS form	40
7.10. Log history parameters	40
7.11. Management interval configuration	41
7.12. Data storage form	41
7.13. dbn0/Altaia integration form	42
7.14. Distributed architecture parameters form	43
7.15. EPM form	43
7.16. Expiration warning form	43
7.17. Https parameters form	44
7.18. Device formula name	44
7.19. Local preferences form	44
7.20. Provisioning parameters form	45
7.21. Redundancy settings	45
7.22. Regional settings form	46
7.23. Scheduled reports configuration form	46
7.24. Security integrity	46
7.25. SMPP server form	47

7.26. SMTP parameters form	47
7.27. TRAP fields	48
7.28. Theme configuration	49
7.29. User access history form	49
7.30. Configurations API form	49
7.31. TRAFip's raw data form	50
7.32. Packet Capture	50

Preface

Target audience

This manual was designed for network administrators, network consultants and Telcomanager partners.

To fully understand this manual, the reader should have intermediate knowledge on network management and TCP/IP protocol.

Conventions used in this manual

This document uses the following conventions:

Table 1. Manual conventions

Item	Convention
Selecting a menu item	Menu → Submenu → Menu item
Commands, buttons and keywords	Boldface font.

Chapter 1. Introduction

About

CFGtool is a device configuration management system.

Main features

- Access to all system features through a web browser.
- High Availability can be provided through the use of the redundant solution, in which two appliances work in HOT-STANDBY.
- High performance database for historical data storage.
- Alarms for device configuration changing and file integrity.
- Provisioning, configuration exporter and login scripts management.

Minimum requirements

These requisites are for the computers that will access the system through a web browser.

Hardware

- Processor Pentium 2 400 MHZ or above.
- 128 MB RAM memory.

Browser

- Internet explorer 9+.
- Chrome 4.0+.
- Firefox 7.0+.

Chapter 2. Historical data

This chapter describes the elements on the historical data tab.

Under this tab, you can access all the processed data for the monitored objects.

Groups

The groups are used to organize the monitored objects. They are hierarchical and can have as many levels as needed.

Groups can be used to restrict user access to monitored objects. By associating a user profile to a group, the users in the profile are restricted to the objects associated to this group or to the groups beneath it in the hierarchy.

Objects can be associated to groups manually or automatically. When manual association is enabled, the group form will show **Devices** and **Mapped objects** to be associated. Otherwise, the group form will show **Devices** and **Mapped objects** rules to be used as association conditions.

Objects can be removed from group automatically when they don't meet the association rules anymore. This option is only available when the group has auto association enabled.

Important

If any object in the group returns a value NaN, the value displayed by the graph of the group is NaN. The logic used is that $A + B + C + \text{NaN} = \text{NaN}$

Important

When the group icon is a yellow folder, this group has no graphs. When the icon is a green folder, there is at least one object with graph in this group.

Procedure 2.1. Configuration steps

1. Select **Historical data** → **Groups** → **Groups** .
2. Click the **New** button to define a new group and fill the form.

Table 2.1. New group form

Field	Description
Name	Define a group name.
Root group	The root group in respect to this one. If no root group is selected, then this group will be a root group in the system.
Automatic association	Select Yes to enable the automatic association of objects to this group considering rules.
Automatic removal	Select Yes to enable the automatic removal of objects when they do not meet the association rules anymore. This option is only available when the group has Automatic association enabled.
Devices	Devices that will belong to this group.
User profiles	User profiles to have access to this group.

3. Click the **Save** button.
4. To add more groups below this group, click its group icon on the group tree. Then, click on Subgroups in the graph selection area and repeat the steps above.

Add groups metadata

To access the metadata configuration page, access **Historical Data** → **Groups**, click on **Groups** tree menu item and click on **Metadata** button.

Click on **New** button to create a new metadata.

You can change the metadata configuration using the **Edit** button. To check the configuration history, click on **History** button.

To remove a metadata, click on **Delete** button.

Table 2.2. Metadata fields

Field	Description
Name	Enter the metadata name.
Description	Describe the metadata (optional).
Datatype	Choose the metadata type: Text , Integer or Enum (Enumerate).
Values	This field is only available when the Datatype is Enum . Enter a list of values, separating them by semicolon (;).

To associate the metadata to a group, access the groups list and click on **Metadata** button beside the group that will be configured.

Then, fill the metadata according to its type.

Devices

A device is any network element that has an IP address and supports the SNMP or ICMP protocols.

Procedure 2.2. Device configuration steps

1. Select **Historical data** → **Devices** → **Device** .
2. Click the **New** button and fill the form below.

Table 2.3. New device form

Field	Description
Name	Device name.
Description	Device description.
Management IP address	Device IP address. This IP address should respond SNMP read queries for SNMP monitoring and ICMP echo requests for ICMP monitoring.

Field	Description
Type	Type of device, the user can use this field to freely categorize all devices configured.
Manufacturer	Name of the device manufacturer.
Latitude	Geographic coordinate, in decimal degrees (DD), used to locate the device on georeferenced maps. Example: -22.9035.
Longitude	Geographic coordinate, in decimal degrees (DD), used to locate the device on georeferenced maps. Example: -43.2096.
SNMP credential	Choose a SNMP credential.
SNMP Version	Choose the SNMP version. Possible values are: SNMP v1 or SNMP v2c Specify an SNMP community SNMP v3 Specify the authentication type and its parameters
SNMP community	Enter the SNMP community.
Use Default SNMP configuration	This option lets you define specific values to be used specifically for this device. The default values are specified at SNMP collector parameters configuration.
Use sysUpTime OID to discard results	Discard the collection if the device is not allowed for more than 5 minutes. Prevents miscalculations.
SNMP Timeout	Time limit in seconds to wait for a SNMP reply packet. Value range: 1-10.
SNMP Retries	Number of retries that will be issued to the device if it does not respond to a SNMP query. Value range: 1-10.
Number of OIDs per packet	Number of OIDs that will be sent in each SNMP packet. Value range: 1-100.
Maximum packet rate (pps)	Maximum number of packets per second that a SNMP collector will send for each device.
SNMP window	Number of SNMP packets that will be sent without answer from the device being polled.
SNMP port	The SNMP port.
Agents	This option lets you define one or multiple SNMP agents in the same IP address and different ports. Now you can specify OID masks and SNMP port for this mask.

Field	Description
	<p>This means that the SNMP collector will use the specified UDP port if the OID to be collected on this device matches the specified mask.</p> <p>Example:</p> <ul style="list-style-type: none"> • OID prefix .1.3.4.6.9.9.1.2.* SNMP port: 163 • OID prefix .1.3.4.6.9.9.1.3.* SNMP port: 164
Connection credential	Choose a Connection credential.
Connection protocol	Choose SSH or Telnet .
SSH port	When the Connection protocol is SSH, enter the SSH port. The default value is 22 .
Telnet port	When the Connection protocol is Telnet, enter the Telnet port. The default value is 23 .
User	User to be used to access the device. This string is available as a wildcard %username% for provisioning scripts.
User password	Password to be used to access the device. This string is available as a wildcard %passwd% for provisioning scripts.
Enable secret	Enable password to be used to access the device. This string is available as a wildcard %enable_passwd% for provisioning scripts.
Enable TRAFip collect	Enables the collection by TRAFip.
Netflow exporter ip address	Fill the IP address that the netflow exporter will use to send flows. Next to this field, there is a magnifying glass icon. Click to fill automatically based on Management IP address.
Sampling rate configuration	Can be set manually or based on flow.
Netflow sampling rate	If you are exporting sampled flows, choose whether to consider a manual configured rate or to detect the rate from the flow records.
Enable SLAview collect	Enables the collection by SLAview.
Automatic profile	Select this option to enable the use of this device and its mapped objects on automatic profiles. The association will only occur if the device or its objects match the profile rules. (See Profile configuration section) .
Enable configuration management	Enables the configuration management by CFGtool.
Configuration export mode	Select Active to export the device configuration according to the interval configured at System → Parameters → Configuration management . To export configuration using trap filter, select Passive .

Field	Description
Enable Security Integrity	Select Yes to enable Security Integrity or No to disable.
Topology mapping method	Select the protocol to be used for topology mapping. Available options are CDP - Cisco Discovery Protocol, LLDP - Link Layer Discovery Protocol or both. Using either method, SLAview uses the SNMP protocol to fetch information from these protocols on the monitored devices MIB tables.
Enable provisioning	Enable provisioning to configure automatically Cisco IP SLA probes, Telcomanager probes and Netflow exportation.
Collector	Device association to a remote collector. This field is available only when the distributed architecture is enabled.
Authentication script	When the Connection protocol is Telnet , you have to select a Login script.
Provisioning script	Fill this option for Netflow provisioning in distributed architecture systems and probes configuration. This script will be used to reconfigure Netflow export to a backup collector if a collector fails.
Polling templates	Choose an ICMP polling template for the device. The polling template lets you configure the specific times to poll the devices and measure their availability.
Device type	Field used to pick an icon to represent the device graphically on Maps. You can choose between: Camera, Firewall, Router, Server, Switch or Wireless. The default device type is Router .
Configuration exporter script	Select running and startup configuration exporter scripts.
Domain	Device domain association.
Groups	Click the List button and select the desired groups to place this device in one or more points in the group hierarchy.
Mappers	Select the desired mappers to map objects like interfaces and cpus on this device.
Alarm profiles	Associate the device with an alarm profile.

Exporting device configuration

By clicking on the **Configuration export agent** button, you will execute the configuration exporter scripts.

Check the result clicking on **Summary** in selection area.

Configuring Device Security Integrity

The Security Integrity system serves to monitoring files on servers. It has to be enabled in **Enable security check** field in the device form.

It is also necessary to install the **Telcomanager Windows Security Agent (TSA)** agent on the machine that contains the files to be monitored. Its download is available in **Tools** → **External Software** and, after installed, it will gather information about files being monitored and send it to CFGtool.

In the device list, at **Historical Data** → **Devices** → **Device** , it's possible to obtain a report about the monitored files, including their status (missing, altered or normal). To do this, click on **Security check** button next to the device.

Tip

Missing files will be shown in yellow and altered files will be shown in red.

There are 2 **Security Integrity** alarms: file change and file missing. Check the alarm's section for further information about them.

Import devices file

To import a file of devices, access **Historical data** → **Devices**.

Click the **Devices** tree menu item.

Click the **Import** button and load the file.

A import devices file has the following fields:

Table 2.4. Fields from device file

Field	Description
Name	Possible characters for name field.
Description	Possible characters for description field (optional).
Management IP address	IP Address. Ex.: 10.0.0.1
SNMP Version	Type 1 for SNMP version 1, 2c for version 2 and 3 for version 3.
SNMP community	Possible characters for snmp community.
Connection protocol	Type SSH or TELNET .
User	Possible characters for name field (optional).
User Password	Possible characters for password field (optional).
Enable Secret	Possible characters for password field (optional).
Enable TRAFip collect	YES to enable and NO to disable the TRAFip collect.
Netflow exporter ip address	IP Adress list separated by comma. Ex.: 10.0.0.1,10.0.0.2
Sampling rate configuration	Enter 0 for manual and 1 for flow.
Netflow sampling rate	Integer value greater than 0.

Field	Description
Enable SLAView collect	YES to enable and NO to disable the SLAview collect.
Automatic profile	Select YES to enable the use of this device and its mapped objects on automatic profiles.
Device Type	Field used to pick an icon to represent the device graphically on Maps. Choice camera, firewall, router, server, switch or wireless.

Add devices metadata

To access the metadata configuration page, access **Historical Data** → **Devices**, click on **Device** tree menu item and click on **Metadata** button.

Click on **New** button to create a new metadata.

You can change the metadata configuration using the **Edit** button. To check the configuration history, click on **History** button.

To remove a metadata, click on **Delete** button.

Table 2.5. Metadata fields

Field	Description
Name	Enter the metadata name.
Description	Describe the metadata (optional).
Datatype	Choose the metadata type: Text , Integer or Enum (Enumerate).
Values	This field is only available when the Datatype is Enum . Enter a list of values, separating them by semicolon (;).

To associate the metadata to a device, access the devices list and click on **Metadata** button beside the device that will be configured.

Then, fill the metadata according to its type.

Reports

Templates

For almost all reports available on the system, you have the option to save them as templates once you fill the report fields.

Saving

1. Open the desired report and select the Save template option.
2. Fill the fields below:

Table 2.6. Template Form

Fields	Values
Name	Report name.
Write permission	Select who can alter this report. The group option is based on user groups.
Read permission	Select who can read this report. The group option is based on user groups.
Send report by email	Send the report by email.
Attachment format	Choose the desired format: PDF or CSV.

3. Fill the other report fields and click the **Send** button.

After executing the steps above, the saved report is available at the **Template list** for each report type.

Scheduling

1. Open the Template list for the report or create a new report.
2. Select the Schedule template option.
3. Select the appropriate schedule option.

Schedule options

- One execution: It can be **Instant** or **Scheduled**. The data start and end times will be the start time and end times of the report.
- Daily: Define a **Scheduled report time** and every day, at this time, it will be executed a 1 day report. If the **Consider execution day** option is enabled, the execution day will be considered in this period.
- Weekly: Define a **Week-day** and time and every week, at this day and time, it will be executed a 7 days report. The data start and end times will be from Sunday 00h to Saturday 23h59min of the previous week. If the **Consider execution day** option is enabled, the execution day week will be considered in this period.
- Monthly: Define a **Execution day** and time and every month, at this day and time, it will be executed a 31 days report. The data start and end times will be from day 01 00h to the last day at 23h59min of the previous month. If the **Consider execution day** option is enabled, the execution day month will be considered in this period.

Tip

In order to schedule a report, you must save it as a template.

Tip

When a report is ready, it is sent an e-mail to users. The SMTP server should be configured and also each user email at the user configuration form.

Editing

After the template is saved, an **Edit** button appears at the template list and can be used to change the report parameters.

Visualizing reports

After the system runs a template, a new report instance is generated.

All report instances can be accessed through the Details button available for each template.

To visualise a report instance, follow the procedure below:

1. Click the **Details** button for the desired template.
2. Choose the desired output format between HTML, CSV and PDF.
3. Click the **Show** button for the desired report instance.

Managing disk space

The total space available and currently used by the template reports is listed below the template list.

The system has a reserved storage area that is shared for all reports.

You can increase or decrease this space by going to **System** → **Parameters** → **Data storage** .

You can delete generated reports by clicking the Details button at template list for the desired template.

Configuration history

The configuration history changes can be visualized directly on device screen clicking on **Summary** in the graph selection area.

The configuration history report provides all the configuration changes in a period. The result contains the device, the type of the configuration exporter script, the version and the creation date.

Table 2.7. Configuration history report form

Field	Description
Filter by name	Filter the device by name.
Devices with no configuration	If this option is enabled, it will be shown only the devices that do not have configuration of the selected type in the Configuration type field.
Start time	Enter the initial period time.
End time	Enter the final period time.
Configuration type	Choose between All , Running and Startup .
Output format	Select HTML or CSV format.

Important

You can compare version selecting two items with the same device and type.

Policy Compliance

The policy compliance report displays which rules are not being respected by the devices. In that way, you will know which equipments are not in accordance with the Policy Compliance.

A green check is shown when the device configuration is respecting the rule, otherwise it is displayed a red "X".

Table 2.8. Policy Compliance Report form

Field	Description
Generate report Save template	Choose Generate report for a one time report or Save template to save the report as a template.
Configuration type	Select the configuration version type to be analyzed: running, startup, baseline or All .
Device test	Select Failure to show only the devices that have failed in at least one of the rules. Select Success to show only the devices which respect all the rules. To show all the devices, regardless of they are respecting the rules or not, select All .
Output format	Choose the output format: HTML, PDF or CSV. This option is only available when the report is not a template.
Policy compliance	Select the policies to be verified.
Device	Associate the devices to have the configuration versions analyzed.

For instance, with the goal of checking the network security, you created a rule to verify if the AAA (Authentication, Authorization and Account) is enabled. This rule checks if the equipment configuration has the text "aaa new-model" and it is associated to the **Security** policy.

You want to discover if one of the devices is not respecting this rule, that is, the AAA is disabled. In order to do it, you can generate a report as shown in the following example:

Policy compliance report

Generate report Save template

Configuration type:

Device test:

Output format:

Policy compliance

Filter ?

Available		Selected
	>>>	Security
	<<<	

Device

Filter ?

Available		Selected
	>>>	Device1
	<<<	Device2
		Device3
		Device4
		Device5

Policy Compliance Report Example

Chapter 3. Provisioning

Scripts

You can easily execute an existing script on a device or to create a new one and execute it without saving the script.

This execution can be on demand or scheduled and the logs will be available on **Provisioning** → **Tasks** for a period that you can define in **System** → **Parameters** → **Provisioning** .

Besides this, it's possible to check the last provisioning details using the tab **Last task** at the bottom of the page.

Creating scripts

To create a new script, click on plus sign (+) and edit the text box. Then, select the execution mode (**Lua**, **Send/Expect** or **Text**), click on **Run** and select the device in which the script will be executed.

Tip

You can save or remove a script at any time using the icons above the text box.

Executing the scripts

To execute an already existing script, click on it on the left menu. You can edit it using the text box. It's also possible to select the execution mode: **Lua**, **Send/Expect** or **Text**. Finally, click on **Run** and select the device in which the script will be executed.

If you want to schedule the execution, select the option **Schedule template**. You will need to define a name and the schedule type (**One Execution**, **Daily**, **Weekly** or **Monthly**). You can access and edit your schedules at any time in **Provisioning** → **Tasks**.

Tasks

In this tab, it will be shown a list of tasks with information about the last executed scripts.

The tasks will be displayed according to the date and time of execution.

Using the **Script** button, it's possible to obtain more specific information about the script. For instance, the script, its name and its execution mode.

The **Show** button provides provisioning details like the status and the device. The provisioning result can be obtained by clicking the **Show** button again.

The tasks can be deleted at any time with the **Delete** button.

The scheduled tasks can be interrupted using the **Suspend** button. To return, you can use the **Resume** button.

Chapter 4. Configuration

Rules

Creating rules

1. Select **Configurations** → **Rules**.
2. Click the New button to create a new rule and fill the form:

Table 4.1. Automatic profile rules

Field	Description
Name	Rule name.
Description	Rule description
Database field filter	Filter based on database fields. For instance, the Name field is the object name and the Mapper field (only for mapped object rules) is the mapper name.
Metadata field filter	Filter based on metadata fields. Choose the device metadata (for device rules) or the mapped object metadata (for mapped object rules).
Filter by SNMP collect	Filter based on OIDs that will be polled when the rules are tested. Select the option Use mapped object index when using OIDs that should be tested against mapped objects, like, for example, ifConnectorPresent.

No Response filter

The 'No Response' filter, that is located in 'Filter by SNMP collect', consists in validate a object in case it returns a specific error message.

To use it, you must choose the 'No Response' operator in the filter. In the 'value' field you have to use one of this values:

- \$nosuchobject\$ - It's used to validate 'No such object' response from an object.
- \$nosuchinstance\$ - It's used to validate 'No such instance' response from an object.

Scripts

You can create and execute scripts of the following types: **Configuration exporter**, **Login** and **Provisioning**.

The script types will be shown in a selectbox on the left side menu. Selecting one of them, it will be listed the already created scripts.

Creating scripts

To create a new script, click on plus sign (+). The text box will have an example of the selected script type. Edit the text box and, after, select the execution mode (**Lua**, **Send/Expect** or **Text**, depending on the script type), click on **Run** and select the object in which the script will be executed.

Tip

You can save or remove a script at any time using the icons above the text box.

Functions

The system provides some functions to enhance the scripts possibilities:

- **tmlSnmp.snmpGet**: Executes SNMP GET on the device.
- **tmlSnmp.snmpGet2**: Executes SNMP GET on the device when the SNMP configuration is not default.
- **tmlSnmp.snmpWalk**: Executes SNMP WALK on the device.
- **tmlSnmp.snmpWalk2**: Executes SNMP WALK on the device when the SNMP configuration is not default.
- **tmlSSH.sshNew**: Connects to a remote system using SSH.
- **tmlTelnet.telnetNew**: Connects to a remote system using Telnet.
- **tmlUtils.removeTerminalEscape**: Remove terminal characters.
- **tmlDebug.log**: Prints the log on the **Debug** tab on **Result**.
- **tmlDebug.varDump**: Prints the variable's log on the **Debug** tab on **Result**.
- **tmlJson.encode**: Converts a Lua table to a JSON string.
- **tmlJson.decode**: Converts a JSON string to a Lua table.
- **tmlPing.pingNew**: Sends ICMP echo messages.
- **tmlMsSql.msSqlNew**: Accesses the dbms (Database Management System) Microsoft SQL server.

The Lua allowed functions for the scripts are:

- abs
- clock
- difftime
- exp
- floor
- ipairs
- max
- min

- next
- pairs
- pow
- sqrt
- time
- tonumber
- tostring
- type
- unpack

Variables

There are also variables that are available in every script and are filled according to the object that it is related.

They are stored in params table (params['variable_name']):

- **params['ipaddr']**: IP address.
- **params['name']**: Device's name.
- **params['description']**: Device's description.
- **params['type']**: Device's type.
- **params['snmp']['community']**: Device's SNMP community.
- **params['snmp']['version']**: Device's SNMP version.
- **params['snmp']['timeout']**: Device's SNMP Timeout.
- **params['snmp']['retries']**: Device's SNMP Retries.
- **params['snmp']['max_per_packet']**: Number of OIDs per packet.
- **params['snmp']['max_pps']**: Maximum packet rate (pps).
- **params['snmp']['window']**: Device's SNMP window.
- **params['snmp']['port']**: Device's SNMP port.
- **params['obj'][<MAPPER>][<DESCRIPTION>]['ifindex']**: Mapped object's ifIndex, where MAPPER is the mapper name and DESCRIPTION is the mapped object name (without the device name).
- **params['obj'][<MAPPER>][<DESCRIPTION>]['description']**: Mapped object's description, where MAPPER is the mapper name and DESCRIPTION is the mapped object name (without the device name).
- **params['username']**: Username for authentication.

- **params['passwd']**: Password for authentication.
- **params['enable_passwd']**: Enable password for authentication.
- **params['protocol']**: Protocol for connection.
- **params['alarm']['active']**: Alarm status. Returns **true** or **false**.
- **params['alarm']['name']**: Alarm name.
- **params['alarm']['urgency']**: Alarm urgency level.
- **params['alarm']['object']['name']**: Alarmed object name.
- **params['alarm']['object']['description']**: Alarmed object description.
- **params['alarm']['object']['type']**: In device alarms, it's the alarmed device type.
- **params['alarm']['object']['manufacturer']**: In device alarms, it's the alarmed device manufacturer.
- **params['alarm']['object']['device']['name']**: In mapped object alarms, it's the device name of the alarmed mapped object.
- **params['alarm']['object']['device']['description']**: In mapped object alarms, it's the device description of the alarmed mapped object.
- **params['alarm']['object']['device']['type']**: In mapped object alarms, it's the device type of the alarmed mapped object.
- **params['alarm']['object']['device']['manufacturer']**: In mapped object alarms, it's the device manufacturer of the alarmed mapped object.
- **params['blackhole']['ipaddr']**: IP blackhole announce or removal.

Executing scripts

To execute an already existing script, click on it on the left menu. You can edit it using the text box. So, click on **Run** and select the object in which the script will be executed.

Besides this, it's possible to check the last execution details using the tab **Result** at the bottom of the page.

Tip

You can save your changes using the Save icon above the text box.

Configuration Exporter Script

Create a Configuration Exporter Script to manage a device's configuration.

Take the following example to create your configuration exporter scripts:

```
----- begin script -----
h = params[ 'ipaddr' ]
u = params[ 'username' ]
p = params[ 'passwd' ]
```

```

c=tmlSSH.sshNew({host=h,port='22',user=u,passwd=p,timeout='5'})

if(c == nil) then
    return nil
end

if (c:connect() == false) then
    return nil
end
if(c:expect('#') == false) then
    return nil
end

c:send('show config')

r = c:read()
if(r == nil) then
    return nil
end
c:disconnect()

r=tmlUtils.removeTerminalEscape(r)

return r

----- end script -----

```

Login Script

When the device's connection protocol is set as **Telnet**, it needs a login script. This type of script is used for authentication.

As well as provisioning scripts, the Login scripts can be written on 3 different modes: **Text**, **Lua** and **Send/Expect**.

Check below the authentication script example Cisco Telnet written on Lua mode.

```

c = params['connection']
u = params['username']
p = params['passwd']

if (c:send(u) == false) then
    return nil
end
if (c:expect('Pass') == false) then
    return nil
end
if (c:send(p) == false) then
    return nil
end

```

```

if (c:expect('>') == false) then
    return nil
end

```

Provisioning Script

The provisioning script performs a sequence of requests and expected replies with the device.

This type of script can be written on 3 modes: **Text**, **Lua** and **Send/Expect**.

You can schedule the execution in this type of script. To do this, after clicking on **Run** button, select the option **Schedule**. You will need to define a name and the schedule type (**One Execution**, **Daily**, **Weekly** or **Monthly**). These schedules can be accessed and edited at any time in **Provisioning** → **Tasks**.

Text Mode

In this mode, the script will be basically composed of all commands that are executed on a device.

Lua Mode

In this mode, it is possible to customize the provisioning.

It provides the variable **params['connection']** to be used to communicate with the device being provisioned.

Send/Expect Mode

This is widely used mode in provisioning.

Check below the script Probe IP/SLA ICMP Echo [ip sla monitor] written using this mode followed by its description.

```

send: enable
expect: pass
send: %enable_passwd%
expect: #
send: configure terminal
expect: (config)
send: ip sla monitor %probe_index%
abort: invalid;#
send: type echo protocol ipIcmpEcho $ip_destination$ source-ipaddr $ip_source$
abort: incomplete;#
send: tag %probe_name%
expect: #
send: frequency 300
expect: #
send: exit
expect: (config)
send: ip sla monitor schedule %probe_index% life forever start-time now
expect: #
send:exit

```

- The **send** fields are commands to be executed in the devices.
- The **expect** fields are strings expected from the devices.
- The **abort** fields are used to insert a string that will cause the script finalization if received from the device. The text inserted after the ; character will work the same way the expect field.
- The fields enclosed with the % character are special wildcards. The supported wildcards are listed in the next section.

Wildcards

Table 4.2. Wildcard List

Variables	Description
%username%	User field from the device configuration form.
%passwd%	User password field from the device configuration form.
%enable_passwd%	Enable secret field from the device configuration form.
%probe_index%	Snmp index from the probe
%probe_name%	Name field from the probe configuration form.
%collector_ip%	IP address of the new collector when the current collector is down in distributed architecture.
%current_collector_ip%	IP address of the current collector in distributed architecture.

Policy Compliance

Create compliance policies that are composed of rules. These rules will ensure if the device configurations are as expected.

It is possible to generate reports that shows, in a clear way, if the devices are respecting or not the policies and the rules.

Thus, you can manage the vulnerability of your network and have your time optimized, since you won't need to verify manually each device configuration.

Rule

You can create rules that search for specific expressions in your device configurations and check if they are correct.

To do this, access **Configuration** → **Policy Compliance** → **New rule** or **Configuration** → **Policy Compliance** → **Rule** and click on **New** button.

Table 4.3. Policy Compliance Rule Form

Field	Description
Name	Define the rule name.

Field	Description
Description	Describe the rule.
Search string	Add string filters. You can add as many filters as you want and choose the operations between them: AND or OR .

The rules can be edited at any time using the **Edit** button and they can be removed by clicking on **Delete** button.

Important

You cannot remove a rule that is associated with a policy.

Policy

The policy is, basically, a group of rules.

To create a new policy, access **Configuration** → **Policy Compliance** → **New policy** or **Configuration** → **Policy Compliance** → **Policy** and click on **New** button.

Table 4.4. Policy Compliance Form

Field	Description
Name	Define the Policy name.
Rule	Associate a rule or more with the policy compliance.

You can modify the policy and desassociate the rules using the **Edit** button.

To remove the policy, click on **Delete** button.

Trap Filter

Some equipments send traps when the configuration is modified.

Create filters for these traps and when the system receives them, the new device configuration will be exported.

Important

It is necessary to set the device configuration export mode as **Passive**.

To create a new filter, access **Configuration** → **Trap filter** → **New trap filter** or **Configuration** → **Trap filter** → **Trap filter** and click on **New** button.

Table 4.5. Trap filter form

Field	Description
Name	Define a name.
Identifier varbind	Insert the trap varbinds. Separate them by comma.
User varbind	Insert the varbind that informs which user changed the configuration. This field is optional.

Field	Description
Host Varbind	Insert the varbind that informs which host changed the configuration. This field is optional.

Use **Edit** button to modify the filter and click on **Delete** button to remove it.

Device Credential

Many devices use the same SNMP and Connection configuration.

It's possible to create a credential for these configuration parameters and then associate it to the devices that have the same configuration.

To create a new credential, access **Configuration** → **Device Credential** → **New device credential** or **Configuration** → **Device Credential** → **Device Credential** and click on **New** button.

Table 4.6. Device credential form

Field	Description				
Name	Define the credential name.				
Protocol	Choose SNMP , SSH or Telnet .				
SNMP Version	Choose the SNMP version. Possible values are: <table border="0" style="width: 100%;"> <tr> <td style="width: 60%;">SNMP v1 or SNMP v2c</td> <td>Specify an SNMP community</td> </tr> <tr> <td>SNMP v3</td> <td>Specify the authentication type and its parameters</td> </tr> </table>	SNMP v1 or SNMP v2c	Specify an SNMP community	SNMP v3	Specify the authentication type and its parameters
SNMP v1 or SNMP v2c	Specify an SNMP community				
SNMP v3	Specify the authentication type and its parameters				
SNMP community	Enter the SNMP community.				
SSH port	Enter the SSH port. The default value is 22 .				
Telnet port	Enter the Telnet port. The default value is 23 .				
User	User to be used to access the device. This string is available as a wildcard %username% for provisioning scripts.				
User password	Password to be used to access the device. This string is available as a wildcard %passwd% for provisioning scripts.				
Enable secret	Enable password to be used to access the device. This string is available as a wildcard %enable_passwd% for provisioning scripts.				
Devices	Associate the devices that will use the credential.				

Add device credential metadata

To access the metadata configuration page, access **Configuration** → **Device credential**, click on **Device credential** tree menu item and click on **Metadata** button.

Click on **New** button to create a new metadata.

You can change the metadata configuration using the **Edit** button. To check the configuration history, click on **History** button.

To remove a metadata, click on **Delete** button.

Table 4.7. Metadata fields

Field	Description
Name	Enter the metadata name.
Description	Describe the metadata (optional).
Datatype	Choose the metadata type: Text , Integer or Enum (Enumerate).
Values	This field is only available when the Datatype is Enum . Enter a list of values, separating them by semicolon (;).

To associate the metadata to a device credential, access the device credential list and click on **Metadata** button beside the credential that will be configured.

Then, fill the metadata according to its type.

Chapter 5. Tools

External Software

Telcomanager Windows Collector

Download the executable **Telcomanager Windows Collector** to install the Netflow collector for Windows.

It replicates all the Netflow packets received by a Windows machine to a TRAFip appliance.

Telcomanager Host Agent

Download the executable **Telcomanager Host Agent (THA)** to install it on Windows.

Telcomanager Windows Security Agent

Download the executable **Telcomanager Windows Security Agent (TSA)** to install it on Windows.

This agent gathers information about the files monitored by the Security Integrity system and sends it to CFGtool.

TSA Installation

First of all, you have to run the downloaded file to open the installation wizard.

Follow all the wizard instructions and, at the end, fill the configuration file params.

Once the params are filled, you will be brought to the final step. Make sure that the "Run Telcomanager Security Agent <version>" option is enabled and click on **Finish** button.

Table 5.1. TSA file configuration params

Field	Description
Files	This param refers to the files that will be monitored. It must be filled with the full path of the file or folder to be monitored, for instance: C:\Program Files (x86)\Telcomanager Security Agent . If it is a folder, all of the files and subfolders will also be monitored. You can insert a files or folders list separating them by comma.
Ignore files	This param refers to the files that will be excluded from the monitoring. It must be filled with the full path of the file or folder to be excluded, for instance: C:\Program Files (x86)\Telcomanager Security Agent\excluded_file . You can insert a files or folders list separating them by comma.
Registry	This param must be filled with the Windows Registry that you want to monitor, for instance: SOFTWARE\Microsoft\Windows

Field	Description
	\CurrentVersion\Installer. All registries included in the filled registry will also be monitored. You can insert a registries list separating them by comma.
Ignore registry	This param refers to the registries that will be excluded from the monitoring. All registries included in the filled registry will also be excluded. You can insert a registries list separating them by comma.
Trafip IP	TRAFip IP address.
Port	TRAFip port to receive the data. This param must be filled with 59999 .
Interval	Interval, in seconds, between the monitorings. It means that, if this param is filled with 60 , the files and the registry will be monitored every minute.

Configuration file

The file configuration is a text file created automatically by the TSA installation wizard. It is located in the same folder as the service installation and its name is **config**.

To change it, it's necessary to suspend the **TSA** service before and, so, edit the file using the Administrator mode. After saving the changes, you will have to start the **TSA** service again.

Table 5.2. TSA file configuration params

Field	Description
file_path	Refers to the Files field.
ignore_file_path	Refers to the Ignore files field.
registry_path	Refers to the Registry field.
ignore_registry_path	Refers to the Ignore registry field.
server_ip	Refers to the Trafip IP field.
server_port	Refers to the Port field.
interval	Refers to the Interval field.

Discovery

The discovery feature is used to discover every host in a network. Fill the IP/Mask field and click Execute button to start the discovery function.

When the process is finished, you will have a list with all the discovered hosts. Click on **Show** button to open this list.

It is possible to add any of the discovered hosts as a device. You can select individually, use the **All** button to select all of them at one time or use the **All SNMP** button to select only those who have SNMP response according to SNMP credentials.

After this, click on **Select** button, fill the fields and click on **Add**.

Chapter 6. ALARMmanager

Reports

To access ALARMmanager reports, go to **ALARMmanager** → **Reports**

Suppressed reports

This report provides the logs for all the suppression operations performed by the users.

Table 6.1. Suppressed alarms report form

Field	Description
Output format	Select HTML, PDF or CSV format.
Object type	The object type for the alarms.
Start time	The start time for the report.
End time	The end time for the report.
Operation	Filter for the suppression operation.
User filter	Filter for the user that performed the operation.
Object filter	Filter for the object in which the operation was performed.
Alarm filter	Filter for the alarm in which the operation was performed.

Consolidated reports

This report provides a view of all alarm events in a detailed or resumed way.

This report can be saved as a template. For instruction on working with report templates, go to templates section on this manual.

Table 6.2. Consolidated alarm report form

Field	Description
Alarm filter	Use Regular Expressions and click the filter button to select the desired alarms.
Object filter	Use Regular Expressions to filter the desired objects.
Manufacturer	Filter by the manufacturer of the object. You have to use Regular Expressions to filter.
Manufacturer Type	Filter by manufacturer type of the object. You have to use Regular Expressions to filter.
Object type	Type of the object.
ifAlias filter	Filter based on interface ifAlias OID. You have to use Regular Expressions to filter.
Start time	The start of the analysis period.

Field	Description
End time	The end of the analysis period.
Period	If All day option is marked, this field is ignored, otherwise the data is selected within that range for each day.
Exclude weekends	Exclude weekend periods from the report data.
Active only	To display only active alarms.
Consolidated	This option will summarize all occurrences of an alarm for each object.
Generated by trap only	Shows only alarms generated by link down traps.
Output format	Select HTML, PDF or CSV format.
Groups	This field can be used to filter objects associated to some root groups.

Tip

To sort report results, click at each column header.

Email Template

Introduction

You can select the ALARMmanager email format and choose if you want to use the default template or to personalize it.

Table 6.3. Email template

Field	Description
Enable default email template	Select No to customize the email template.
Email content	You can choose the email format you will receive (HTML or Txt).

Customizing the email

When you are editing your email template, it's possible restore the default one just by clicking the **Restore default template** button.

If the email content is in the HTML format, you can visualize the preview before save the new template. To do this, click on the **Preview** button.

You will have the following keywords enclosed by '\$' and you may substitute them for your alarm configuration:

Table 6.4. Email variables

Variables	Description
\$date\$	Alarm start/end time.
\$objtype\$	Object type: Mapped object or Device. Service alarm does not have any type of object.

Variables	Description
\$object\$	Object name.
\$path\$	Shows the path for the object in the SLAview groups.
\$alarm\$	Alarm name.
\$action\$	Alarm state: active or inactive.
\$level\$	Alarm urgency level.
\$formula\$	Alarm formula.
\$varbind\$	Varbind.
\$suppressed\$	Indicates if alarm is suppressed.
\$color\$	Variable to be used in HTML email. Green to disabled and red to enabled.

Alarm urgency level

The urgency levels in the ALARMmanager application are customizable and you can configure as many as you want.

To manage the alarm levels access **ALARMmanager** → **Alarm urgency level** menu.

Here you have a list of pre-configured levels. You can edit levels or add new ones.

Changing the urgency level priority

To change an urgency level priority, select the desired level and click the UP or DOWN arrows located on the upper left corner.

Adding a new urgency level

To add a new urgency level, click the New and fill the form.

Table 6.5. ALARM urgency level form

Field	Description
Label	A label for the urgency level. This label is displayed on a column at the ALARMmanager console.
Background color	Background color that will be displayed in the ALARMmanager console.
Text color	Text color that will be displayed in the ALARMmanager console.
Beep	Enable sound warning for this alarm. The sound warning will be played by the ALARMmanager console if this function is also enabled at the console. To enable it, access ALARMmanager → Console → Enable sound warning
Alarms	Select the alarms that will receive this priority.

Field	Description
Service alarms	Select the service alarms that will receive this priority.

Alarms

CFGtool provides 2 types of device alarms: **Configuration Check** and **Security Integrity**.

The **Configuration Check** type has 2 alarms (running and startup) which are triggered if a change in a device configuration happens.

The **Security Integrity** type has 2 alarms (file change and file missing) which are triggered if a monitored file is missing or have been altered.

You can not remove these alarms, but you are able to edit their fields.

Furthermore, you can create new alarms to be triggered when the device configurations are not respecting the rules and policies.

Table 6.6. CFGtool alarm form

Field	Description
Name	Define a name for the alarm.
Alarm type	Choose between Configuration check or Security integrity .
Configuration type	Choose between running and startup .
Varbind	A free text field that can be used to recognize the alarms that are forwarded as traps.
Mail	Email will be sent to users. The SMTP server should be configured and also each user email at the user configuration form.
Mobile	A message will be sent by SMS and/or to a Telegram chat by a bot.
Trap	A trap will be sent for each alarm.
Provisioning	Select Yes to enable provisioning for this alarm.
Provisioning script	Choose a provisioning script to be executed.
Mail delay	The email will be sent after the number of minutes defined in this field, starting from the activation time.
Mobile delay	The message will be sent after the number of minutes defined in this field, starting from the activation time.
Trap delay	The trap will be sent after the number of minutes defined in this field, starting from the activation time.
Provisioning delay	The script will be executed after the number of minutes defined in this field, starting from the activation time.

Field	Description
Disable mail for suppressed alarms	If the option "No" is selected, the email will be sent and the suppressed condition will be indicated in the email. The "Yes" option will prevent the email from being sent.
Disable sms for suppressed alarms	If the option "No" is selected, the sms will be sent and the suppressed condition will be indicated in the sms. The "Yes" option will prevent the sms from being sent.
Disable trap for suppressed alarms	If the option "No" is selected, the trap will be sent and the suppressed condition will be indicated in the trap. The "Yes" option will prevent the trap from being sent.
Disable provisioning for suppressed alarm	The Yes option will prevent the script from being executed when the alarm is suppressed.
Urgency level	Select a level for the alarm.
Policy compliance	Associate the policies.
Device alarm profiles	Select the alarm profiles this alarm should belong to.

Alarm suppression management

To suppress an alarm, follow the procedure below:

1. Go to **ALARMmanager** → **Alarms** tab and click the Suppressed alarms button.
2. Fill the filter fields at this form to select the desired alarms/objects and click the Filter button.
3. Select the alarms/objects on the list.
4. Fill the Suppression reason text field, if desired.
5. Click the Save button to suppress the alarms/objects selected.

To unsuppress the alarms, follow the same procedure, but deselect the desired alarms/objects.

Important

Notice that if the alarm is already suppressed, it won't be suppressed again and the same happens for the unsuppression action.

Alarm profile

Profiles are used to tie together alarms and monitored devices.

To configure an alarm profile, select **ALARMmanager** → **Profiles**, click the **New** button and fill out the form.

Table 6.7. Alarm profile form

Field	Description
Name	Define a name for the alarm profile.

Field	Description
Object association type	Choose Manual to associate manually or Automatic to use a rule to associate.
Device alarm	Select the desired alarms for this profile.
Devices	Select the desired devices for this profile, if the association type is Manual .
Association rule	Select the rules used to associate the devices, if the association type is Automatic .

Console

Introduction

The ALARMmanager application works integrated to the systems and is capable of generating alarms based on formulas.

It also has the following features:

- HTML5 graphical interface.
- Alarm forwarding through email, mobile and traps.
- Alarms can trigger sounds.
- Alarm profiles to ease alarm association to managed objects.
- Alarm acknowledgment and comments.
- Alarm suppression to avoid emails, mobile messages and traps for repeated alarms.

Console operation

To access the operational alarm console, go to **ALARMmanager** → **Console**.

Authentication

A user must be authenticated to access ALARMmanager.

Console

The ALARMmanager console will display all the alarms that are active and also the inactive alarms that have not yet been inactive for the ALARMmanager storage period parameter. You will be able to visualize only the alarms that you have permissions to see and for the objects that you are allowed to visualize.

The console has the following columns:

Table 6.8. ALARMmanager console

Column	Description
START TIME	The time of the first occurrence.
END TIME	The time of the last occurrence. Displays ACTIVE if the alarm has not ended.

Column	Description
USER	User that acknowledged the alarm.
TYPE	Object type, can be device of mapped object.
OBJECT	Object name.
DESCRIPTION	If the object is an interface, displays its ifAlias.
PATH	Shows the first path for the object in the SLAview groups.
STATE	Alarm state, can be active or inactive.
ALARM	Alarm name.
LEVEL	The level for the alarm defined at the level configuration.
TRAP	Yes if it was generated by a trap and no otherwise.
COMMENTS	Comments by the operator. To insert a comment, click two times in that cell.

Alarm Acknowledgement

Once an alarm is acknowledged, the alarm line shows the username that performed the operation and this information can also be viewed at the consolidated alarm report. After acknowledging an alarm, you are able to insert comments for the alarm.

To acknowledge an alarm, right click the alarm to be acknowledged and then select the Acknowledge option on the menu. The alarm is then displayed at the acknowledged tab for all operators.

To acknowledge multiple alarms at once, select them with the left mouse button and then right click on the list to display the menu.

The alarm can be released from the operator only by an administrator user. To do it, the administrator should select the acknowledged alarm at the list and select the Unacknowledge alarm option from the menu.

Alarm Suppression

To suppress an alarm, follow the procedure below:

1. Select the desired alarms with the left mouse button. To choose more than one alarm, hold CTRL key and select the alarms with left mouse button.
2. Click with the right mouse button to show the popup menu. Click on Suppress alarms option on the popup menu.
3. Fill the suppression reason text box. You can also leave it blank.
4. Click on Confirm button.

You can check the logs for the suppression operations performed by the users at the suppressed alarms report

Alarm Comments

To insert comments for an alarm you first need to acknowledge it.

To insert a comment, follow the procedure below:

1. Click the Acknowledged alarm tab
2. Double click at the COMMENTS column for the alarm.
3. Fill the text box at the Alarm Comments window and click the Confirm button.

Enabling sound for an alarm

The sound alarm will function if there is an active, not acknowledged, critical or major alarm in the ALARMmanager console.

Select **ALARMmanager** → **Console** → **Enable sound warning** option.

Alarm synchronization

The ALARMmanager applet synchronizes its alarms with the system database every 2 minutes. This synchronization can be triggered immediately at **ALARMmanager** → **Console** → **Synchronize Alarms** menu.

Deleting alarms

ALARMmanager deletes automatically the alarms that have finished, but you will be able to visualize them at the console until the maximum inactive alarm storage time has passed. To configure that parameter go to **System** → **Parameters** → **ALARMmanager** menu.

The operator can delete the alarms at any time if they are in the inactive state by selecting the alarms with the right mouse button and clicking the Delete option on the menu.

Opening graphs

Select an alarm line and click the Open graphs button to open the objects graphs.

Alarm filter

This filter can be triggered from any object at any map. It will filter the object's alarms and also from the objects related to it hierarchically.

Chapter 7. System

Access Log

User access

This option displays a report summarized by day containing user access logs. Each report line is a link for a detailed report for the day.

Simultaneous access

This report displays the number of user logged in the system for each user group.

Users

The system has three user types:

User types

Administrator	Has full access to the system
Configurator	Can create, remove and edit any system objects. Cannot make changes to System configurations.
Operator	Can only visualize system monitored objects and reports.

When you associate groups to users, you will restrict this user visualization to objects within the group hierarchy.

Users can also be limited on the menus that they will access and on the number of simultaneous users that will access the system.

Editing users

1. Select **System** → **Users** → **User list** .
2. Click the New or Edit buttons and fill the form below:

Table 7.1. User form

Field	Description
Username	User login.
Name	User name.
Password	Password.
Password check	Repeat the password.
E-mail	E-mail to send alarms and when a scheduled report is available. You must configure the SMTP server .

Field	Description
SMS	Celular phone number to send alarms using the SMPP protocol or celular@teste.com to send short emails with alarms. The system can also send SMSs through the integration with a web portal.
Permission to set baseline configuration	This option is only available to Administrator and Configurator users. Select Yes so the user will can set a configuration version as baseline.
Enable Favorites	Enable Favorites feature.
Use compact graph	Visualize graphs in a default size or compact them.
Local authentication	This field is visible only when Active Directory or TACACS is enabled. To configure the Active Directory, access System → Parameters → Active Directory and to configure the TACACS, access System → Parameters → TACACS .
Theme	Set user theme. Choose the Default Theme in System → Parameters → Theme
User group	Associate this user to a user group in order to restrict the number of simultaneous accesses to the system within the group.
Language	Set user language.
Profile	Set user profile to restrict alarm and service alarm visualization and notification.
Type	Choose the user type.
Menu	Use the Customize option to restrict the user to specific menus.

User Groups

The user groups are used to manage how many users can login simultaneously to the system.

Procedure 7.1. Managing user groups

1. Select **System** → **Users** → **User group** .
2. Click the New or Editbuttons and fill the form below:

Table 7.2. User form

Field	Description
Name	User group name.
Description	User group description.
Limit simultaneous access	Select a number between 1 and 255. This will limit simultaneous access to the system within the users of this group.

Field	Description
Users	Specify the users that will be placed in the group. A user can belong to one group only.

User profiles

The user profiles are used to associate alarms to users.

Procedure 7.2. Managing user profiles

1. Select **System** → **Users** → **User profiles** .
2. Click the New or Edit buttons and fill the form below:

Table 7.3. User form

Field	Description
Name	User profile name.
Telegram bot token	Token obtained after creating a new bot in Telegram.
Telegram chat ID	Chat ID of the chat which the bot partakes.
Users	Associate users to this profile.
Profile -> Alarms	Associate pair of Profile -> Alarm to this profile.
Service alarms	Associate service alarms to this profile.

Alarm Console

You can select the columns that will be shown at ALARMmanager console. Furthermore, you are able to configure the order the columns will appear. For this purpose, click and drag the lines.

Table 7.4. ALARMmanager console columns

Column	Description
START TIME	The time of the first occurrence.
END TIME	The time of the last occurrence. Displays ACTIVE if the alarm has not ended.
USER	User that acknowledged the alarm.
TYPE	Object type, can be device or mapped object.
OBJECT	Object name.
DESCRIPTION	Object description.
IFALIAS	If the object is an interface, displays its ifAlias.
STATE	Alarm state, can be active or inactive.
ALARM	Alarm name.
LEVEL	The level for the alarm defined at the level configuration.
TRAP	Yes if it was generated by a trap and no otherwise.

Column	Description
COMMENTS	Comments by the operator. To insert a comment, click two times in that cell.

Backup/Restore

You can perform backup and restore of all system data to and from an ftp server or a simple file download/upload with all system configurations.

Go to **System** → **Backup/Restore** to work with the following backup/restore options:

Local configuration backup

Click on this icon to display all current configuration backup files.

You can create a new file by clicking the Create new button.

The Setup button is used to set the number of backup files to keep.

Click the Download button to download the configuration file to your desktop.

The Copy to restore button is used to copy a configuration file to the restore area in order to restore this backup file.

Local configuration restore

This option is to be used to restore a backup file. By doing that, all current system configuration will be replaced by the definitions contained in the restored file.

To perform a system restore, you should either upload a configuration file from your local machine or copy an old backup file available in the system and then click the Restore button for that file.

Remote backup

This option can be used to save the system configuration files and historical database to a remote backup server.

Table 7.5. Remote backup form

Field	Description
IP version	Select IPv4 or IPv6.
Backup Server	IP address of the backup server.
Backup Directory	Directory on the backup server.
User	User to authenticate on the backup server.
User Password	Password.
Backup protocol	Protocol to be used for backups.
Protocol port number	Port number.

Field	Description
Server size (GB)	The server size in Gigabytes.
Activate backup	Select Yes to activate the backup feature.
Backup start time	Enter the time of the day to execute backups.

Remote restore

Select a single system to perform data restore or click the Request complete restore to fetch data from both systems.

Important

- The ftp server must be online, since the data will be fetched from it.
- Only perform this operation on a new and empty TRAFip or SLAview installation, since all system data will be replaced.

Restore status

This option will display the restore status once you request a remote restore operation.

Parameters

This section is used to configure various system parameters that are used for different processes.

Active directory

This option will enable users to access TRAFip using the Active Directory Kerberos authentication method.

In order for a user to authenticate using this method, it must be configured in the system.

Table 7.6. Active directory form

Field	Description
Enable Active Directory authentication	Once Yes is selected, the Local authentication field will be available in the user form.
Server	Enter the server address. Example: kerberos.example.com
Domain	Enter the Active Directory domain. Example: ATHENAS.MIT.EDU

When this method is enabled, there isn't local authentication, it means **Operator** and **Configurator** users can only log in TRAFip using Active Directory.

Important

The **Administrator** user can choose to log locally or not, however, it's recommended to always have a **administrator** user with **Local authentication** enabled, when there is a external access control.

ALARMmanager

Table 7.7. ALARMmanager parameters form

Field	Description
Maximum events storage period	Number of hours that the occurrence table will hold occurrences. This table is used only for deep level debugging purposes, since the occurrences are not used after they are processed.
Maximum alarms storage period	After this period, the alarms will be deleted.
Maximum inactive alarms storage period	Once an alarm becomes inactive, it will be available at the ALARMmanager console for this period. After that, the alarm can be visualized at the ALARMmanager reports.

Alarm occurrences or events are generated by the following processes:

- SlaSumCaching: generates occurrences for all configurable alarms created with summarization variables.
- ICMPAgent: generates occurrences for the **Not replying ICMP** alarm.
- MIBget: generates occurrences for the **Not replying SNMP** alarm.
- ObjectMapper: generates occurrences for the **Object not found** alarm.

Caution

You can check the **Configurations** item under the **System** → **Diagnostics** → **Storage usage** section to check if the database is too big, indicating that the system is generating too many alarms. If that is the case, you can decrease the alarm storage period or adjust the alarm settings to generate less alarms.

Association agents

Auto login

This feature enables the authentication bypass for URL requests coming from another system.

To enable this feature, follow the procedure below:

1. Go to **System** → **Parameters** → **Auto login**.
2. Select "Yes" on **Enable auto login** option.
3. Fill the referer URL in the format, which is the page from which the requests will be originated.
4. On your web server, fill the following URL: **http://<IP>/cgi-bin/login?dip=<USER>**.

Backup

- Data: Parameters to perform remote backup. Refer to remote backup section.

- Configuration: configure the number of old configuration backup files to keep in the system.

Capture agent configuration

Set the allowed number of simultaneous executing agents.

Table 7.8. Capture agent configuration form

Field	Description
Number of simultaneous executing agents	Choose a integer smaller than or equal to 10. The default is 3.

Cisco WAAS

Cisco WAAS (Wide Area Application Services) is a Cisco Systems technology. It improves the performance of applications on a wide area network (WAN).

Table 7.9. Cisco WAAS form

Field	Description
Enable Cisco WAAS monitoring	Select Yes to enable the Cisco WAAS (Wide Area Application Services) monitoring, select No otherwise.

Configuration history

Set the storage period for different configuration areas.

Table 7.10. Log history parameters

Field	Description
Maximum configuration data storage period	This includes all configuration changes, except for the user related operations. This data can be displayed at System → Diagnostics → Configuration Logs .
Maximum user configuration data storage period	This is specific for user operations. This data can be displayed at System → Diagnostics → Configuration Logs by selecting the User option on Object type field.
Maximum summarization statistics storage period	This is related only to the summarization processes. This statistic can be checked at System → Diagnostics → Summarizer .

Configuration Management

Set the interval to collect all devices' configuration with an associated script. This script can be created in Scripts section.

Table 7.11. Management interval configuration

Field	Description
Number of versions limit	Define the maximum number of versions to be kept by each device. When this limit is reached, older versions will be discarded. The maximum value is 4320.
Management interval	Configure the interval in hours to export device configuration. The default is 8 hours.

Data storage

In this area, you should configure the storage space that should be allocated for each type of system data.

The field **Available distribution space** will display the space that can still be distributed.

To check how much space each area is consuming, you should login to the desired system (TRAFip or SLAview) and access **System** → **Diagnostics** → **Storage Usage** . The TDB database item corresponds to the summarized data for each system.

You can perform redistribution of storage space between different areas at any time.

Table 7.12. Data storage form

Field	Description
Start process from occupation at %	When this value is reached, the agent will be executed. Fill with a value between 1 and 85 .
Execution type	Choose if the agent will run at each Time interval or in a Time schedule .
Execution time interval (minutes)	Define the time interval, in minutes, to the agent be executed. The minimum value is 10 .
Scheduled report time	Define the time when the agent execution will start.
SYSLOG storage	Storage dedicated to SYSLOG raw files.
Scheduled reports	Storage dedicated to scheduled report files.
Trap receiver storage	Storage dedicated to trap receiver files.
Capture files storage	Storage dedicated to capture files.
TRAFip raw data storage	Storage area dedicated to TRAFip raw flow files. This storage usually grows a lot faster than the summarized data. If you configure it with the same size of the summarized data, you will typically end up with 10 times less historical data.
TRAFip summarized data storage	Storage dedicated to TRAFip processed data or TDB - Telco Database. This data is used for graphs and Top N reports.
TRAFip summarization remote files	Storage dedicated to TRAFip processed data files sent from collectors on distributed architecture environment.

Field	Description
TRAFip behavior change data	Storage dedicated to TRAFip behavior change files, for instance, history alarms data.
SLAview raw data storage	Storage dedicated to SLAview raw files. This is in general the collected SNMP OIDs.
SLAview summarized data storage	Storage dedicated to SLAview processed data. This data is used for graphs and reports.
SLAview summarization remote files	Storage dedicated to SLAview processed data files sent from collectors on distributed architecture environment.
SLAview behavior change data	Storage dedicated to SLAview behavior change files, for instance, history alarms data.
CFGtool versions data	Storage dedicated to device configuration files. Even when this value is reached, the version data of devices with just one version will not be excluded.

When the fields **Raw data (MB)** and **Summarized data (MB)** are filled with '0' (zero), it means the system is distributing automatically the **Available distribution space** between the **TRAFip raw data storage**, **SLAview raw data storage**, **TRAFip summarized data storage** and **SLAview summarized data storage**.

You are able to set manually these values, but don't forget the raw data storage usually grows a lot faster than the summarized data. To redistribute the storages, divide the **Available distribution space** by four and you will have each storage size value.

Caution

If you reduce the storage space of any of these areas, the next time the garbage collector process runs, it will clear the data to adequate the storage space.

dbn0/Altaia integration

Altaia is a performance and QoS management platform. Fill the fields in the form and configure the dbn0/Altaia integration.

Table 7.13. dbn0/Altaia integration form

Field	Description
Enable dbn0/Altaia integration	Choose Yes or No .
Server IP Address	Enter the server IP address.
Directory to send the file	Enter the directory.
Server user	Enter the server.
User Password	Enter the user password.
5 minutes steps	Enter a number.
5 minutes delay	Enter a integer equal to or greater than 2.

Distributed architecture

These parameters should be used if you wish to run the system on distributed architecture mode.

For more details about distributed architecture's concepts and prerequisites, refer on distributed architecture feature section.

Table 7.14. Distributed architecture parameters form

Field	Description
Maximum number of consecutive collector fails	This number represents how many times the central node will wait for the processed files from a collector node until this node is considered down. This check is performed every 5 minutes by the sum-control processes for TRAFip and SLAview systems. After a collector is set to down by the central node, the backup collector, if set, will take on the faulty collector operations.
Enable Distributed Architecture	Select this option if this appliance will be part of a distributed architecture system.
Is collector?	Mark Yes at this option if this appliance will take a collector role on the system. Otherwise this appliance will be considered a central node.
Collector key	Fill with a string to identify this collector on the central node.
IP version	Select IPv4 or IPv6.
Central Storage IP	Fill with the IP address of the appliance to be used as a central node.
Password	Password used for authentication.

EPM

EPM (Extended Processing Module) is another appliance in addition to the already installed one in the client. It is an extended module of the monitoring solution.

Table 7.15. EPM form

Field	Description
Enable EPM	Select this option if you deserve to enable this module of the monitoring solution.
Is EPM?	Mark Yes at this option if this appliance will be used as EPM.

Important

By changing this setting you'll lost all your historical data, so be careful!

Expiration warning

Set when you will be informed about the license expiration date.

Table 7.16. Expiration warning form

Field	Description
Warn expiration lasting	Define the number of days between 10 and 30.

HTTPS Configuration

Configure the HTTPS (HyperText Transfer Protocol Secure) mode.

Table 7.17. Https parameters form

Field	Description
Enable https	Choose Yes and the server will restart in https mode.
Certified	Select the https certified.

Interface customization

You can customize how the devices will be displayed on **Historical Data** → **Devices** → **Device** tree menu.

To do this, just fill the **Device formula name** field with what you desire to be shown on menu.

The formula has special tags which use the device information. Here they are:

Table 7.18. Device formula name

Tag	Description
%n	Refers to device name .
%a	Refers to device management IP address .
%t	Refers to device type .
%m	Refers to device manufacturer .
%d	Refers to device type (Camera, Firewall, Router, Server, Switch or Wireless).

Local preferences

Table 7.19. Local preferences form

Field	Description
PDF page size	Page size to be used for PDF reports.
Search limit	Fill with a positive integer to limit your researches. The default number is 2500 .
Business hours first period	Set the start time and the end time for the business hours first period.
Business hours second period	Set the start time and the end time for the business hours second period.

Login redirection

Fill the **Destination page after login** field to be redirected to another system after login. On the redirected system, you will be able to access all TRAFip/SLAview objects without authentication.

Log level

Choose the ALARMDaemon level: **Low**, **Medium** or **High**.

This level will determine the amount of details in alarm log.

Logo

Pick an image file from your Desktop and upload it, so the image will be displayed at the top right corner.

Remember the image must be of fixed height of 43 pixels and variable width from 20 to 200 pixels.

Provisioning

Configure the provisioning parameters.

Table 7.20. Provisioning parameters form

Field	Description
Max period of log to keep (months)	Define for how long the scripts logs will be kept. Enter a integer smaller than or equal to 120. The default value is 1.
Simultaneous provisioning process limit	Define the maximum number of simultaneous provisioning process. Enter a integer smaller than or equal to 50. The default value is 10.
Execution wait timeout (minutes)	Define the period of time to wait if the simultaneous provisioning process limit is reached. Enter a integer smaller than or equal to 120. The default value is 60.

Redundancy

This section is used to specify the redundancy setting.

Table 7.21. Redundancy settings

Field	Description
Enable redundancy	Choose Yes.
IP version	Select IPv4 or IPv6.
Local IP Synchronization	Fill with the IP address configured for the interface directly connected to the other appliance.
Remote IP synchronization	Fill with the IP address configured for the remote appliance.
Max history size	Configure the max history size in MB. The minimal historic size is 16MB.
Commutation interfaces	Select the interfaces that will share IP addresses between the two appliances. Use the CTRL key to select multiple interfaces. At least one interface must be reserved to have an exclusive IP address for management purposes. One interface must be used for the back-to-back connection and the others can be used to share IPs.
Prefered state	Select Master or Slave .

Refer to redundancy section for details on enabling this feature.

Regional settings

Table 7.22. Regional settings form

Field	Description
Decimal separator	Decimal separator to be used for system reports.
System Language	Choose the default system language. Each user can define its own language settings under user configuration.
Number of decimals in export files	Configuration used to format number fields on exported reports.
Csv file separator	Separator to CSV reports.

Reports

This section shows how to make advanced configurations for reports.

Scheduled Reports

You have the option to schedule your reports. In this section, configure this mode.

Table 7.23. Scheduled reports configuration form

Field	Description
Refresh time of the wait page (seconds)	Enter a integer number.
Max Time of Execution (minutes)	Enter a integer number.
Max Simultaneous Processes	Enter a integer number.
Email subject prefix	Define the default email subject prefix.
Hostname for link in email	Configure the email hostname.

Security integrity

Configure the **Security integrity** alarms period.

Table 7.24. Security integrity

Field	Description
Change limit (seconds)	Set the length of time, in seconds, for which the Security integrity - file change alarm will stay active.
Missing limit (seconds)	Set the length of time, in seconds, for which the Security integrity - file missing alarm will stay active.

SMS server

SMPP(Short message peer-to-peer protocol) method

Use this method if your mobile operator provides a SMPP account.

Table 7.25. SMPP server form

Field	Description
SMS Protocol	Choose the SMPP option.
Host	SMPP host.
Port	SMPP port.
System ID	SMPP system ID.
System Type	SMPP system type.
Password	SMPP password.
URL	Refer to URL section.
Origin phone number	phone number that will be displayed as the caller on SMS messages.

SMSs can be sent using two distinct methods. Both configured through this form.

URL(Uniform Resource Locator) method

This method should be used if you have a http gateway.

SLAview will perform an http GET operation using the provided URL.

You should use the \$CELLPHONE\$ and \$MSG\$ wildcards in the URL.

The \$CELLPHONE\$ wildcard will be replaced by the SMS field that you filled in the user configuration form.

The \$MSG\$ wildcard will be replaced by the alarm message, which contains the following information:

- Alarm name.
- Alarm urgency level.
- Alarm state.
- Date and time that the alarm switched to that state.
- Alarm varbind.

SMTP

Fill this form with the SMTP parameters to send emails.

Table 7.26. SMTP parameters form

Field	Description
SMTP Server	Configure the SMTP Server. The port used by the SMTP server can be changed in this field. Follow the example: smtp.server.com:port
SMTP user	Enter the email.
SMTP password	Enter the user password. If the SMTP server does not require authentication this field should be left blank.

Field	Description
SMTP from	Set a sender for the email.

You can verify SMTP configuration before saving: click on **SMTP test** and enter the email address for test.

SNMP

SNMP Collector

These parameters will be used for all processes that perform SNMP polling. These are the default configurations, but they can be fine tuned at the device level.

For a reference of all system processes, go to the log files section.

SNMP parameters

SNMP Timeout	Time limit in seconds that the collector will wait for a SNMP reply packet. Value range: 1-10.
SNMP Retries	Number of retries that will be issued to the device if it does not respond to a SNMP query. Value range: 1-10.
Number of OIDs per packet	Number of OIDs the collector will send in each SNMP packet. Value range: 1-100.
Maximum packet rate (pps)	Maximum number of packets per second that a SNMP collector will send for each device.
SNMP window	Number of SNMP packets that will be sent without answer from the device being polled.
SNMP port	Default TCP port to connect to the SNMP agent
Ignore interfaces	Fill the expression to ignore these interfaces.
High counter interfaces	Fill the expression to use the high counter OIDs (ifHCInOctets and ifHCOutOctets) on these interfaces.
SecRate Interfaces	Fill the expression to use the sec rate OIDs (IfHCIn1SecRate and IfHCOut1SecRate) on these interfaces.

SNMP Trap

Fill the fields below to specify the hosts that will receive traps. This traps can be alarms from ALARMmanager or self generated traps from TELCOMANAGER MIBS.

Table 7.27. TRAP fields

Field	Description
Trap forwarding hosts	IP addresses of the hosts. Ex: 10.0.0.1,10.0.0.2.
Trap Communities	SNMP communities of the trap hosts.

System Version Check

Every day between 2 a.m. and 3 a.m., the system version check verifies if there is a new available build version. Once this is true, the user will be informed.

TACACS

Enables TACACS+ authentication method. Two servers can be configured for redundancy.

The username and password for each user should be configured in the system exactly like the TACACS (Terminal Access Controller Access-Control System) server.

When this method is enabled, there isn't local authentication, it means **Operator** and **Configurator** users can only log in using TACACS.

Theme

In this section, you can set the Default system theme.

Table 7.28. Theme configuration

Field	Description
Default theme	Choose the default system theme: Dark, Green & Yellow, Red & white or Telcomanager .

Tip

Notice that each user can define him own theme in user configuration.

User access history

There is a tool that offers a daily summarized report containing user access logs. For further information about it, refer to Access log section.

Configure this user access history storage period.

Table 7.29. User access history form

Field	Description
Maximum user access log storage period (months)	Enter a integer smaller than or equal to 36. The default is 12 , that is, 1 year.

Web Services

Configurations API

Table 7.30. Configurations API form

Field	Description
Hosts with access granted to the configurations API	Configure the hosts that are allowed to access the API configurations.

Field	Description
Username used by configurations API	Enter the username.

TRAFip's raw data

Configure the access to TRAFip's raw data.

Table 7.31. TRAFip's raw data form

Field	Description
IP used to access	Enter the IP.
Password	Enter the password.

Diagnostics

Network information

Displays system date and time, network interfaces information and default gateway.

Connectivity tests

Tests like ping, nslookup and traceroute to test the connectivity between the appliance and network elements.

Packet Capture

Using this tool, you can analyze the packets passing through the appliance interfaces.

Click **System** → **Diagnostics** → **Packet capture** .

Click on New button.

Table 7.32. Packet Capture

Column	Description
Network interface card	Choose the interface to analyze.
Maximum file size	Choose the maximum file size where the result of the analysis will be written.
Maximum number of packets	Fill the maximum number of packets to analyze. Fill 0 for no limit.
Port	Filter ports to analyze. Type * for every port or comma separated values.
Exclude Port	Exclude ports to analyze. Type * for every port or comma separated values.
Host	Choose one host to filter or select All for every host.

Click Send to start the capture and then Back to back to the list of capture files.

If you wish to stop the capture, click Stop. A Download button will show up and you can download the capture file.

Objects

Displays the number of objects and profiles configured.

Summarizer

This section displays the time that the summarizer process took to run for the last day.

When deploying the system in distributed architecture, the time to send the summarized files from all collectors is also displayed.

Important

The summarization process runs every five minutes, so the time to run the process should be below 5 minutes for good system performance.

Storage usage

Displays information about storage areas usage.

System registries	Logs from the operating system.
SLAview registries	SLAview logs.
TRAFip registries	TRAFip logs.
SLAview TDB database	Storage usage for the SLAview Telco database, which is used to hold SLAview summarized data.
TRAFip TDB database	Storage usage for the TRAFip Telco database, which is used to hold TRAFip summarized data.
TRAFip raw data	Storage used for the TRAFip raw data.
SLAview raw data	Storage used for the SLAview raw data.
Data details	raw data storage by day for the system you are currently logged in.

Log files

In this area, you can visualize the system log files. Below a list of available files.

LOG Files

createMark.log	Logs from to the version update process.
backupgen.log	Daily configuration backup process logs.
dbackupArchive.log	Logs from the remote backup process.

Gc* Logs from the garbage collector process.

Configuration Logs

This option contains a form where you can display system configuration logs.

These logs are kept for a period defined at **System** → **Parameters** → **Configuration history** → **Maximum configuration data storage period** .

Timezone

This menu is used to set the correct timezone for the server. There are 4 system pre-defined time zones: **Brasília**, **Acre**, **Fernando de Noronha** and **Amazônia**. You can select one of them or to upload a new one.

This procedure is usually necessary if there are daylight savings date modifications.

Support

Open request

Click on **Open request** button to be redirected to Telcomanager's technical support webpage.

Check for system updates

Click on **Check for system updates** button to check if there are available patches or updates.

Remote support tunnel setup

This option can be used to stablish a secure connection to the Telcomanager internet support servers.

Once the connection is stablished, you can contact the Telcomanager support team with the service code used.

Tip

If your service code does not work, try to enter a different value.

About

This section lists the currently installed version and the licensed options.

You can also check the number of existent devices, the historical data series and the limit bits/s or flow/s.

Chapter 8. License enabled features

Redundancy

The redundant solution enables you to deploy two **identical** appliances working on HOT-STANDBY mode.

Important

This functionality will only work if both appliances have the same version.

Tip

It's recommended that the appliances have the same hardware configuration. In case it's different, the system will display a warning.

Concepts

- When this feature is enabled, the system works with two identical machines in HOT-STANDBY performing data synchronization and watching each other states at all times.
- A communication protocol runs between the two servers and if a failure is detected in one of the servers, the other will act as the ACTIVE server - if it is not already - and the tmTSRedundancyStateChangeTrap trap will be sent. This trap is documented at TELCOMANAGER-TELCOSYSTEM-MIB mib.
- Both appliances share one IP address, that is used to send flows from the routers. This IP address is active only on the ACTIVE server and when they switch states, the MAC address of that interface will also migrate to the new ACTIVE server.

Enabling the redundancy

1. Using two identical Telcomanager appliances with the redundancy license option enabled, connect them back-to-back using the same interface at each appliance and configure a non-valid IP network between those interface using the CLI (command line interface) on each appliance.
2. At the CLI, configure the IP address that will be shared between the two servers only at the ACTIVE server.
3. Go to **System** → **Parameters** → **Redundancy** menu and fill the form on both appliances.
4. Wait around 20 minutes and verify the state of each server at **System** → **Diagnostics** → **Network information** .

Distributed architecture

Concepts

The distributed architecture should be used to scale in terms of the system capacity to collect ip flows and SNMP data and to process the raw data, since those tasks are delegated to collector appliances.

Prerequisites

- All machines involved must have SNMP access to all devices to be monitored.

- The ip flows should be exported to the collector appliances.
- There should be enough bandwidth to transfer the summarization files between collector appliances and the central appliance. Keep in mind that one collector requires around 64 Kbps of bandwidth to monitor 1000 interfaces with 10 summarization variables in each interface.
- TCP ports 22 and 3306 must be available between collector and central appliances. Port 22 is used to transfer files in the SSH protocol and 3306 is used to issue database queries from collector to central appliance.

Deployment

1. At the central appliance, go to **System** → **Parameters** → **Distributed architecture** and fill the form accordingly.
2. At the collector appliances, go to **System** → **Parameters** → **Distributed architecture** and fill the form accordingly.
3. At the central appliance, go to **Configuration** → **Collectors** and fill the form accordingly.
4. Wait around 20 minutes and go to **Configuration** → **Collectors** menu to check if the collectors are listed in the **ON** status.